



3218 Commander Dr. #100
Carrollton, TX, 75006, US
DEA Number: FEI #: 3027255510

Sample: CA40702006-003
Harvest/Lot ID: CCBC-100
Batch#: CCBC-100
Batch Date: 06/20/24
Sample Size Received: 4 gram
Retail Product Size: 28 gram
Ordered: 06/26/24
Sampled: 06/26/24
Completed: 07/10/24

Certificate of Analysis

Jul 10, 2024 | Emerald City NY, LLC
46 Foster Road, Suite 1
Hopewell Junction, NY, 12533, US



PASSED

Page 1 of 1

PRODUCT IMAGE



SAFETY RESULTS

Pesticides NOT TESTED	Heavy Metals NOT TESTED	Microbials NOT TESTED	Mycotoxins NOT TESTED	Residuals Solvents NOT TESTED	Filth NOT TESTED	Water Activity NOT TESTED	Moisture NOT TESTED	Terpenes NOT TESTED

MISC.



Potency

PASSED



Total CBD
17.5521%



Total Cannabinoids
17.5521%

	CBDVA	CBDV	CBDA	CBD	CBGA	CBG	CBN	CBC	THCA	D9-THC	THCV	D8-THC
%	ND	ND	ND	17.5521	ND	ND	ND	ND	ND	ND	ND	ND
mg/g	ND	ND	ND	175.521	ND	ND	ND	ND	ND	ND	ND	ND
LOD	0.030	0.050	0.040	0.080	0.060	0.060	0.080	0.040	0.120	0.140	0.130	0.090
	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm

Testing was completed at a reference facility with DEA Number: RP0607436
ISO/IEC 17025:2017 Certificate #: 6400.01

This report shall not be reproduced, unless in its entirety, without written approval from Certified Laboratories/Labstat. This report is a Certified Laboratories/Labstat certification. The results relate only to the material or product analyzed. Test results are confidential unless explicitly waived. Void after 1 year from test end date. Cannabinoid content of batch material may vary depending on sampling error. Some testing may be performed at Blue Bonnet Labs (DEA#RP0607436). ND=Not Detected, NA=Not Analyzed, ppm=Parts Per Million, ppb=Parts Per Billion. Limit of Detection (LoD) and Limit Of Quantitation (LoQ) are terms used to describe the smallest concentration that can be reliably measured by an analytical procedure. RPD=Reproducibility of two measurements. Action Levels are State determined thresholds variable based on uncertainty of measurement (UM) for the analyte. The UM error is available from the lab upon request. The "Decision Rule" for the pass/fail does not include the UM. The limits are based on F.S. Rule 64-4.310.

Ray Collins
Lab Director

State License # NA
ISO Accreditation # L22-753

Signature

07/10/24

Signed On